


HOW TO USE THIS CHART

1. Print this page at 100% / Actual Size (disable "Fit to Page" or "Shrink oversized pages").
2. Verify the calibration bar below measures exactly 50 mm with a ruler before proceeding.
3. Take a ring that already fits the shooting-hand ring finger. Lay it flat on top of each printed circle.
4. The circle whose inner edge matches the ring's inner edge is your size. If between two sizes, choose the larger.
5. No ring on hand? Wrap a strip of paper snugly around the base of the ring finger, mark the overlap, measure that length with a ruler, and match it to the CIRCUMFERENCE column in the table below.

CALIBRATION: this bar must measure exactly 50 mm (1.97") wide.




If it does not, reprint using "Actual Size" or "100%" — NOT "Fit to Page" or "Shrink to Fit."




US SIZE 4

Inner diameter 14.9 mm • Circumference 46.8 mm



US SIZE 4.5

Inner diameter 15.3 mm • Circumference 48.1 mm




US SIZE 5

Inner diameter 15.7 mm • Circumference 49.3 mm



US SIZE 5.5

Inner diameter 16.1 mm • Circumference 50.6 mm




US SIZE 6

Inner diameter 16.5 mm • Circumference 51.8 mm



US SIZE 6.5

Inner diameter 16.9 mm • Circumference 53.1 mm



US SIZE 7

Inner diameter 17.3 mm • Circumference 54.3 mm



US SIZE 7.5

Inner diameter 17.7 mm • Circumference 55.6 mm


HOW TO USE THIS CHART

- 1. Print this page at 100% / Actual Size (disable "Fit to Page" or "Shrink oversized pages").
- 2. Verify the calibration bar below measures exactly 50 mm with a ruler before proceeding.
- 3. Take a ring that already fits the shooting-hand ring finger. Lay it flat on top of each printed circle.
- 4. The circle whose inner edge matches the ring's inner edge is your size. If between two sizes, choose the larger.
- 5. No ring on hand? Wrap a strip of paper snugly around the base of the ring finger, mark the overlap, measure that length with a ruler, and match it to the CIRCUMFERENCE column in the table below.

CALIBRATION: this bar must measure exactly 50 mm (1.97") wide.




If it does not, reprint using "Actual Size" or "100%" — NOT "Fit to Page" or "Shrink to Fit."




US SIZE 8

Inner diameter 18.1 mm • Circumference 56.9 mm




US SIZE 8.5

Inner diameter 18.6 mm • Circumference 58.4 mm




US SIZE 9

Inner diameter 19.0 mm • Circumference 59.7 mm




US SIZE 9.5

Inner diameter 19.4 mm • Circumference 60.9 mm




US SIZE 10

Inner diameter 19.8 mm • Circumference 62.2 mm




US SIZE 10.5

Inner diameter 20.2 mm • Circumference 63.5 mm



US SIZE 11

Inner diameter 20.6 mm • Circumference 64.7 mm



US SIZE 11.5

Inner diameter 21.0 mm • Circumference 66.0 mm


HOW TO USE THIS CHART

- 1. Print this page at 100% / Actual Size (disable "Fit to Page" or "Shrink oversized pages").
- 2. Verify the calibration bar below measures exactly 50 mm with a ruler before proceeding.
- 3. Take a ring that already fits the shooting-hand ring finger. Lay it flat on top of each printed circle.
- 4. The circle whose inner edge matches the ring's inner edge is your size. If between two sizes, choose the larger.
- 5. No ring on hand? Wrap a strip of paper snugly around the base of the ring finger, mark the overlap, measure that length with a ruler, and match it to the CIRCUMFERENCE column in the table below.

CALIBRATION: this bar must measure exactly 50 mm (1.97") wide.




If it does not, reprint using "Actual Size" or "100%" — NOT "Fit to Page" or "Shrink to Fit."




US SIZE 12

Inner diameter 21.4 mm • Circumference 67.2 mm




US SIZE 12.5

Inner diameter 21.8 mm • Circumference 68.5 mm




US SIZE 13

Inner diameter 22.2 mm • Circumference 69.7 mm




US SIZE 13.5

Inner diameter 22.6 mm • Circumference 71.0 mm




US SIZE 14

Inner diameter 23.0 mm • Circumference 72.3 mm



US SIZE 14.5

Inner diameter 23.4 mm • Circumference 73.5 mm



US SIZE 15

Inner diameter 23.8 mm • Circumference 74.8 mm

REFERENCE TABLE — U.S. Ring Size Conversions

Use this table with a string/paper-strip circumference measurement if you prefer not to use the circle method above.

SIZE	DIAM (mm)	CIRC (mm)	SIZE	DIAM (mm)	CIRC (mm)	SIZE	DIAM (mm)	CIRC (mm)
4	14.9	46.8	8	18.1	56.9	12	21.4	67.2
4.5	15.3	48.1	8.5	18.6	58.4	12.5	21.8	68.5
5	15.7	49.3	9	19.0	59.7	13	22.2	69.7
5.5	16.1	50.6	9.5	19.4	60.9	13.5	22.6	71.0
6	16.5	51.8	10	19.8	62.2	14	23.0	72.3
6.5	16.9	53.1	10.5	20.2	63.5	14.5	23.4	73.5
7	17.3	54.3	11	20.6	64.7	15	23.8	74.8
7.5	17.7	55.6	11.5	21.0	66.0			

*Note: Ring sizing affects proper UAF authentication and retention on the shooting hand.
If between two sizes, or for questions, contact Free State Firearms customer support before ordering.*